Abbreviation	Meaning	Abbreviation	Meaning
aarom	assistive active range of motion	DM	Diabetes Mellitus
abd	abdomen	DNR	do not resuscitate
ac	before a meal	DOA	dead on arrival
ad lib	as desired	DOB	date of birth
ADL	activities of daily living	DON	Director of Nursing
adm	admission, admitted	DR	dining room
AM	morning	dsg./drsg	dressing
amb	ambulate, ambulatory, able to walk	DVT	Deep vein thrombosis
amt	amount	DX	Diagnosis
approx	approximately	EKG	Electrocardiogram
arom	active range of motion	ENT	ear, nose, throat
as tol	as tolerated	ER	Emergency Room
ASAP	as soon as possible	ESRD	End stage renal disease
ax	axillary	FBS	Fasting blood sugar
bid	twice a day	FF	Force fluids
BLS	Basic Life Support	fl (fld)	fluid
BM	bowel movement	ft	feet
BP, B/P	blood pressure	Fx	Fracture
BR	bed rest	GI	Gastrointestinal
BSC	Bedside Commode	gt, gtt	drop, drops
С	with	Gyn	Gynecology
c/o	complains of	h (hr)	hour
Ca	cancer	H2O	water
cath	catheter	HAV	Hepatitis A Virus
CBC	Complete blood count	HBV	Hepatitis B Virus
CBR	complete bed rest	HCV	Hepatitis C Virus
CC	cubic centimeter	HOB	head of bed
CCU	Cardiac care unit/ coronary care unit	HOH	Hard of hearing
CDC	Center for Disease Control	HS, hs	Hour of sleep (bedtime)
CHF	Congestive Heart Failure	ht.	height
cl liq	clear liquids	HTN	Hypertension
CNA	Certified Nursing Assistant	Hx	History
COPD	Chronic obstructive pulmonary disease	I&O	intake and output
CPR	cardiopulmonary resuscitation	ICU	Intensive care unit
CVA	Cerebrovascular accident or stroke	IDDM	Insulin dependent DM
dc, d/c	discontinue	in	inch
disch	discharge	Isol	Isolation
DJD	degenerative joint disease	IV	intravenous

Abbreviation	Meaning	Abbreviation	Meaning
Lab	Laboratory	qd	every day
lb.	pound	qh	every hour
liq	liquid	qhs	every night at bedtime
LLE	Lower Left Extremeties	qid	Four times a day
LPN	Licensed Practical nurse	qod	every other day
LUE	Left upper extremeties	R	rectal or respirations
LVN	Licensed Vocational nurse	R/O	rule out
meds	medications	RBC	red blood cells
MI	mycardial infraction	rehab	rehabilitation
mL	milliliter	resp	respiration
MS	Multiple sclerosis	RLE	right lower extremeties
N&V	nausea and vomiting	RN	Registered Nurse
NA	Nursing Assistant	ROM	range of motion
neg	negative	S	without
NGT	Nasogastric tube	S/S	signs and symptoms
NIDDM	noninsulin dependent DM	SOB	shortness of breath
NKA	No known allergies	spec	specimen
no.	number	ST	speech therapy
noc	night	STAT	At once, immediately
NPO	nothing by mouth	TB	Tuberculosis
O2	oxygen	Tbsp	Tablespoon
ocbed	occupied bed	TIA	Transsichemic attack/stroke
OJ	orange juice	tid	three times a day
OOB	out of bed	TLC	Tender Loving Care
OT	occupational therapy	TPR	temperature, pulse, respirations
OTC	Over the counter	tsp.	teaspoon
OZ	ounces	TY	tympanic
pc	after meals	U/A	Urinalysis
per	by, through	unbed	unoccupied bed
PM	afternoon, evening	UTI	urinary tract infection
PO	By mouth	VS	vital signs
Post op spec	After surgery urine specimen	w/c	wheelchair
PRN	as needed	WA	while awake
prom	Passive Range of Motion	WBC	White blood cells
pt	patient	wt	weight
PT	physical therapy		
q	every		
001-			

q2, q3, etc every 2 hrs, every 3 hours, etc.